



REQUIRED PLOT PLAN INFORMATION
1500 BROWN STREET
LOT SIZE = 9350 SQ. FT.



NOTES:

- 1) ALL MEASUREMENTS SHOWN ON THIS EXAMPLE ARE REQUIRED TO BE INCLUDED IN ALL PLOT PLAN SUBMITTALS
- 2) FINISHED FLOOR ELEVATION (F.F.E.) WILL ONLY BE ACCEPTED FOR H.U.D. HOUSING
- 3) THE SIDEWALK THROUGH THE DRIVEWAY (IN THE R.O.W.) SHALL BE 6" THICK (MINIMUM)
- 4) THE MAXIMUM CURB DROP (DRIVEWAY CUT) WIDTH SHALL BE 32' WITHIN THE R.O.W.
- 5) THE MAXIMUM PERMITTED DRIVEWAY SLOPE SHALL BE 13%

LEGEND

- WS — WS — WATER SERVICE LINE
- SA — SA — SANITARY SEWER SERVICE LINE
- ← — — — — ARROWS INDICATE DIRECTION OF FLOW
- — — — — CONCRETE



ENGINEER/SURVEYOR:

COMPANY NAME:

ADDRESS, EMAIL, PHONE NUMBER:

PLOT PLAN - 1500 BROWN STREET

LOT 10, BLOCK 1, RIMROCK ESTATES, PHASE I

EXAMPLE BY CITY OF GILLETTE
 BUILDING DIVISION
 201 E. 5TH STREET, P.O. BOX 3008
 GILLETTE, WYOMING 82717
 (307) 686-5364